

Kit 1323



VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07

VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07



VOLKSWAGEN Golf VI, 3-dr Hatchback, 08-

VOLKSWAGEN Golf VI, 5-dr Hatchback, 08-



480R
754



480



750



80 km/h / 50 Mph, 130 km/h / 80 Mph
 40 km/h / 25 Mph
 km/h / Mph

Kit XXXX
 instructions

480R/754
 x1 (ruler)
 x4 (part)
 x4 (screwdriver)
 x4 (nut/bush)

480
 x1 (ruler)
 x4 (part)
 x4 (screwdriver)
 x4 (nut/bush)






750
 x1 (ruler)
 x4 (part)
 x4 (screwdriver)



x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2 x2	x2

596 x2
 597 x2


163 x1
 164 x1
 165 x1

166 x1
 x2
 x1
 x4










	X
VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07	40
VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07	40
VOLKSWAGEN Golf VI, 3-dr Hatchback, 08-	40
VOLKSWAGEN Golf VI, 5-dr Hatchback, 08-	40



	Y
VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07	29
VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07	29
VOLKSWAGEN Golf VI, 3-dr Hatchback, 08-	29
VOLKSWAGEN Golf VI, 5-dr Hatchback, 08-	29










	X inch	X mm
VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07	41 ³ / ₈ "	1051 mm
VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07	41 ³ / ₈ "	1051 mm
VOLKSWAGEN Golf VI, 3-dr Hatchback, 08-	41 ³ / ₈ "	1051 mm
VOLKSWAGEN Golf VI, 5-dr Hatchback, 08-	41 ³ / ₈ "	1051 mm





	Y inch	Y mm
VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07	37 "	941 mm
VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07	37 "	941 mm
VOLKSWAGEN Golf VI, 3-dr Hatchback, 08-	37 "	941 mm
VOLKSWAGEN Golf VI, 5-dr Hatchback, 08-	37 "	941 mm

4









VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07
 VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07
 VOLKSWAGEN Golf VI, 3-dr Hatchback, 08–
 VOLKSWAGEN Golf VI, 5-dr Hatchback, 08–




5



	X mm	Y mm	X inch	Y inch
VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07	210 mm	710 mm	8 1/4"	28"
VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07	210 mm	710 mm	8 1/4"	28"
VOLKSWAGEN Golf VI, 3-dr Hatchback, 08-	210 mm	710 mm	8 1/4"	28"
VOLKSWAGEN Golf VI, 5-dr Hatchback, 08-	210 mm	710 mm	8 1/4"	28"



6







- GB/US** Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Serrare alternativamente
PT Aperte alternadamente
S Dra åt växelvis

- FIN** Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pielvelciēt pamīšus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно
CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.
SK Doťahujte striedavo
SLO Privijajte izmenično.
HR Naizmjeno zategnite
HU Egymástól fűggetlenül szorítandó
GR Σφίγγετε εναλλάξ
TR Dönüşümlü sıkın
中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชันในแบบสลับ

VOLKSWAGEN Golf V, 3-dr Hatchback, 04-07
VOLKSWAGEN Golf VI, 3-dr Hatchback, 08-

VOLKSWAGEN Golf V, 5-dr Hatchback, 04-07
VOLKSWAGEN Golf VI, 5-dr Hatchback, 08-












7








480R/754




480






THULE
SWEDEN
**ONE
KEY
SYSTEM**



- 544 (x4)
- 596 (x6)
- 588 (x8)
- NA 510 (x10)
- EUR 452 (x12)
- ASIA



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com