

Kit 1707


SEAT León, 3-dr Hatchback, 12–
SEAT León, 5-dr Hatchback, 12–



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



SEAT León,
3-dr Hatchback, 12-

xx kg
xx lbs

7 kg
15,4 lbs

Max. 50 kg
Max. 110 lbs

SEAT León,
5-dr Hatchback, 12-

Max. 60 kg
Max. 132 lbs

80 km/h
50 Mph

130 km/h
80 Mph

40 km/h
25 Mph

km/h
Mph

THULE

Kit XXXX

instructions

x1

754 Rapid System

x1

480R Rapid Traverse (North America)

x1

754 Rapid System

480R Rapid Traverse (North America)

x1

480 Traverse (North America)

x2

x2

23 mm

x2

17 mm

x2

23 mm

x4

x4

x2

x2

x2

x2

(North America)

x2

23 mm

x2

219 x2

1231 x2

1232 x2

273 x1

274 x1

331 x1

332 x1

x1

RR ↓ FR

FL ↓ RL

x1

1





2





754 Rapid System
480R Rapid Traverse
(North America)



x4




x4



x4



480 Traverse
(North America)



x4

3



754 Rapid System



	X
SEAT León, 3-dr Hatchback, 12-	39
SEAT León, 5-dr Hatchback, 12-	39



	Y
SEAT León, 3-dr Hatchback, 12-	30,5
SEAT León, 5-dr Hatchback, 12-	29,5

3




480R Rapid Traverse




480 Traverse

(North America)




	X inch	X mm
SEAT León, 3-dr Hatchback, 12-	41"	1041 mm
SEAT León, 5-dr Hatchback, 12-	41"	1041 mm














	Y inch	Y mm
SEAT León, 3-dr Hatchback, 12-	37 ⁵/₈"	956 mm
SEAT León, 5-dr Hatchback, 12-	37 ¹/₄"	946 mm

4




















5



SEAT León, 3-dr Hatchback, 12-




SEAT León, 5-dr Hatchback, 12-




6




	X mm	Y mm	X inch	Y inch
SEAT León, 3-dr Hatchback, 12-	195 mm	720 mm	7 5/8"	28 3/8"
SEAT León, 5-dr Hatchback, 12-	195 mm	700 mm	7 5/8"	27 1/2"



SEAT León, 3-dr Hatchback, 12-



SEAT León, 5-dr Hatchback, 12-



7

GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apertar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pieļieciet pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно


CZ Pokręťta bagażnika dokręcaj naprzemiennie.
SK Dofahajte striedavo
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγίγες εναλλάξ
TR Dönüşümlü sıkın

中文 交替拧紧



한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ


**8**

x1
17 mm






THULE
SWEDEN
**ONE
KEY
SYSTEM**



		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com