





Thule Rapid System Kit 1612

> Instructions

VOLVO S60, 4-dr Sedan, 10-

VOLVO S60 Cross Country, 4-dr Sedan, 15-



ISO 11154-E

141612


C.20150909
519-1612-02

Bring your life

thule.com




- 74 x1
- 75 x1
- 140 x1
- 141 x1



- 1104 x1
- 1105 x1
- 1119 x1
- 1120 x1





x1



x1

1


	X (scale)	X (mm)	X (inch)
VOLVO S60 , 4-dr Sedan, 10-	42	1071	42 ¹ / ₈
VOLVO S60 Cross Country , 4-dr Sedan, 15-	42	1071	42 ¹ / ₈





	Y (scale)	Y (mm)	Y (inch)
VOLVO S60 , 4-dr Sedan, 10-	41	1061	41 ³ / ₄
VOLVO S60 Cross Country , 4-dr Sedan, 15-	41	1061	41 ³ / ₄

2

VOLVO S60, 4-dr Sedan, 10-
VOLVO S60 Cross country, 4-dr Sedan, 15-



3



	W (mm)	Z (mm)	W (inch)	Z (inch)
VOLVO S60, 4-dr Sedan, 10-	200	770	7 7/8	30 3/8
VOLVO S60 Cross Country, 4-dr Sedan, 15-	200	770	7 7/8	30 3/8

