




Kit 1501



VOLKSWAGEN Passat CC, 4-dr Coupé, 08–





480R
754



480



750



THULE[®]
SWEDEN

ISO 11154-E

**Max.
50 kg**
**Max.
110 lbs**

Kit XXXX
instructions

480R/754






480

750




x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2 x2	x2

204 x 1	302 x 1	982 x 2	x 1
206 x 1	303 x 1	983 x 2	x 2
			x 1



Kit




3



1




2



VOLKSWAGEN Passat CC, 4-dr Coupé, 08–

X
41,5

1



2



VOLKSWAGEN Passat CC, 4-dr Coupé, 08–

Y
36,5




480R




480

1



2



VOLKSWAGEN Passat CC, 4-dr Coupé, 08–


X inch

X mm

42 "

1066 mm

1



2



VOLKSWAGEN Passat CC, 4-dr Coupé, 08–

Y inch






Y mm

40 "


1016 mm

4


VOLKSWAGEN Passat CC,
4-dr Coupé, 08–



5











	X mm	Y mm	X inch	Y inch
VOLKSWAGEN Passat CC, 4-dr Coupé, 08–	170 mm	730 mm	6 3/4"	28 3/4"



6

VOLKSWAGEN Passat CC,
4-dr Coupé, 08-



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Serrare alternativamente
PT Aperte alternadamente
S Dra åt växelsvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pievelciēt pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.
SK Dofahujte striedavo.
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγγετε εναλλάξ
TR Dönüşümlü sıkın
中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชั้นในแบบสลับ



7





480R/754




480



3 Nm *




*




* $\approx 3 \text{ Nm}$



750




4 Nm




i




1




2




i



1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		