




Kit 1458

FORD Fusion, 5-dr Hatchback, 06–



**Max.
60 kg**
**Max.
132 lbs**

Kit XXXX
instructions

480R/754

480

750






x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2	x2

153 x 2
921 x 2




19 x 2
217 x 2

x 1



Kit




3



1




2



FORD Fusion, 5-dr Hatchback, 06-

X
35,5

1



2



FORD Fusion, 5-dr Hatchback, 06-

Y
32,5




480R



480

1



2




FORD Fusion, 5-dr Hatchback, 06-

X inch X mm

39 5/8" 1006 mm

1



2
















FORD Fusion, 5-dr Hatchback, 06-

Y inch Y mm


38 3/8" 976 mm

4





FORD Fusion, 5-dr Hatchback, 06–



5



	X mm	Y mm	X inch	Y inch
FORD Fusion, 5-dr Hatchback, 06–	300 mm	700 mm	11 3/4"	27 1/2"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apertar alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφίγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ



6






480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		