





Kit 1569

CHEVROLET Cruze, 4-dr Sedan, 09–
DAEWOO Lacetti Premiere, 4-dr Sedan, 09–
HOLDEN Cruze, 4-dr Sedan, 09–



480R
754



480



750





480R/754

480



750

Kit










	X
CHEVROLET Cruze, 4-dr Sedan, 09-	35,5
DAEWOO Lacetti Premiere, 4-dr Sedan, 09-	35,5
HOLDEN Cruze, 4-dr Sedan, 09-	35,5



	Y
CHEVROLET Cruze, 4-dr Sedan, 09-	32
DAEWOO Lacetti Premiere, 4-dr Sedan, 09-	32
HOLDEN Cruze, 4-dr Sedan, 09-	32










	X inch	X mm
CHEVROLET Cruze, 4-dr Sedan, 09-	39 ⁵ / ₈ "	1006 mm
DAEWOO Lacetti Premiere, 4-dr Sedan, 09-	39 ⁵ / ₈ "	1006 mm
HOLDEN Cruze, 4-dr Sedan, 09-	39 ⁵ / ₈ "	1006 mm



	Y inch	Y mm
CHEVROLET Cruze, 4-dr Sedan, 09-	38 ¹ / ₄ "	971 mm
DAEWOO Lacetti Premiere, 4-dr Sedan, 09-	38 ¹ / ₄ "	971 mm
HOLDEN Cruze, 4-dr Sedan, 09-	38 ¹ / ₄ "	971 mm

4




CHEVROLET Cruze, 4-dr Sedan, 09–
 DAEWOO Lacetti Premiere, 4-dr Sedan, 09–
 HOLDEN Cruze, 4-dr Sedan, 09–



5



	X mm	Y mm	X inch	Y inch
CHEVROLET Cruze, 4-dr Sedan, 09–	250 mm	630 mm	9 ⁷ / ₈ "	24 ³ / ₄ "
DAEWOO Lacetti Premiere, 4-dr Sedan, 09–	250 mm	630 mm	9 ⁷ / ₈ "	24 ³ / ₄ "
HOLDEN Cruze, 4-dr Sedan, 09–	250 mm	630 mm	9 ⁷ / ₈ "	24 ³ / ₄ "



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apertar alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pielieciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชั้้นแบบสลับ



6




480R/754



480





*
3 Nm




*





*
≈ 3 Nm




750




4 Nm




i




1




2




i




1




2



i



1



2



THULE
SWEDEN
**ONE
KEY
SYSTEM**



		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		(x12)



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com