







Kit 1035

VOLKSWAGEN Passat, 4-dr Sedan, 97-00



Max.
60 kg

Max.
132 lbs

+

instructions

Kit XXXX

THULE

x1
 x4

x4
 x4

480R/754

x1
 x4

x4
 x4

480

x1
 x4
 x4

750

x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2	x2

82 x 2






100 x 2

23 x 2


24 x 2

x1


Kit



3




754




750

1




2



VOLKSWAGEN Passat, 4-dr Sedan, 97-00

X
33

1



2



VOLKSWAGEN Passat, 4-dr Sedan, 97-00

Y
32,5




480R



480

1



2




VOLKSWAGEN Passat, 4-dr Sedan, 97-00


X inch
38 5/8"

X mm
981 mm

1



2
















VOLKSWAGEN Passat, 4-dr Sedan, 97-00

Y inch
38 3/8"


Y mm
976 mm

4



VOLKSWAGEN Passat, 4-dr Sedan, 97-00



5



	X mm	Y mm	X inch	Y inch
VOLKSWAGEN Passat, 4-dr Sedan, 97-00	280 mm	680 mm	11 "	26 ³/₄ "



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480



750




i




1




2




i




1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)

596 (x6)

588 (x8)

NA 510 (x10)

EUR 452 (x12)

ASIA