

Kit 1043

CHRYSLER Voyager, 5-dr MPV, 96-00




CHRYSLER Grand Voyager, 5-dr MPV, 96-00

CHRYSLER Town & Country, 5-dr MPV, 96-00

CHRYSLER Town & Country, 5-dr MPV, 08- (NA)

DODGE Grand Caravan, 5-dr MPV, 08- (NA)

VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)



CHRYSLER Voyager, 5-dr MPV, 96-00
 CHRYSLER Grand Voyager, 5-dr MPV, 96-00
 CHRYSLER Town & Country, 5-dr MPV, 96-00

$$\begin{array}{c} \text{xx kg} \\ \text{xx lbs} \end{array} + \begin{array}{c} 7 \text{ kg} \\ 15,4 \text{ lbs} \end{array} =$$





CHRYSLER Town & Country, 5-dr MPV, 08- (NA)
 DODGE Grand Caravan, 5-dr MPV, 08- (NA)
 VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)

Max.
50kg/110 lbs


Max.
40 kg/88 lbs



+



106 x 4








16 x 4






x 1


Kit




3



1




2



	X
CHRYSLER Voyager, 5-dr MPV, 96-00	37
CHRYSLER Grand Voyager, 5-dr MPV, 96-00	37
CHRYSLER Town & Country, 5-dr MPV, 96-00	37
CHRYSLER Town & Country, 5-dr MPV, 08- (NA)	50
DODGE Grand Caravan, 5-dr MPV, 08- (NA)	50
VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)	50

1



2



	Y
CHRYSLER Voyager, 5-dr MPV, 96-00	37
CHRYSLER Grand Voyager, 5-dr MPV, 96-00	37
CHRYSLER Town & Country, 5-dr MPV, 96-00	37
CHRYSLER Town & Country, 5-dr MPV, 08- (NA)	50
DODGE Grand Caravan, 5-dr MPV, 08- (NA)	50
VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)	50




480R




480

1




2




	X inch	X mm
CHRYSLER Voyager, 5-dr MPV, 96-00	40 1/4"	1021 mm
CHRYSLER Grand Voyager, 5-dr MPV, 96-00	40 1/4"	1021 mm
CHRYSLER Town & Country, 5-dr MPV, 96-00	40 1/4"	1021 mm
CHRYSLER Town & Country, 5-dr MPV, 08- (NA)	45 3/8"	1151 mm
DODGE Grand Caravan, 5-dr MPV, 08- (NA)	45 3/8"	1151 mm
VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)	45 3/8"	1151 mm

1



2



	Y inch	Y mm
CHRYSLER Voyager, 5-dr MPV, 96-00	40 1/4"	1021 mm
CHRYSLER Grand Voyager, 5-dr MPV, 96-00	40 1/4"	1021 mm
CHRYSLER Town & Country, 5-dr MPV, 96-00	40 1/4"	1021 mm
CHRYSLER Town & Country, 5-dr MPV, 08- (NA)	45 3/8"	1151 mm
DODGE Grand Caravan, 5-dr MPV, 08- (NA)	45 3/8"	1151 mm
VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)	45 3/8"	1151 mm

4

CHRYSLER Voyager, 5-dr MPV, 96-00














CHRYSLER Grand Voyager, 5-dr MPV, 96-00

CHRYSLER Town & Country, 5-dr MPV, 96-00


CHRYSLER Town & Country, 5-dr MPV, 08- (NA)

DODGE Grand Caravan, 5-dr MPV, 08- (NA)



VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)



5



	X mm	Y mm	X inch	Y inch
CHRYSLER Voyager, 5-dr MPV, 96-00	630 mm	700 mm	24 ³ / ₄ "	27 ¹ / ₂ "
CHRYSLER Grand Voyager, 5-dr MPV, 96-00	630 mm	700 mm	24 ³ / ₄ "	27 ¹ / ₂ "
CHRYSLER Town & Country, 5-dr MPV, 96-00	630 mm	700 mm	24 ³ / ₄ "	27 ¹ / ₂ "
CHRYSLER Town & Country, 5-dr MPV, 08- (NA)	700 mm	700 mm	27 ¹ / ₂ "	27 ¹ / ₂ "
DODGE Grand Caravan, 5-dr MPV, 08- (NA)	700 mm	700 mm	27 ¹ / ₂ "	27 ¹ / ₂ "
VOLKSWAGEN Routan, 5-dr MPV, 09- (NA)	700 mm	700 mm	27 ¹ / ₂ "	27 ¹ / ₂ "



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciēt pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480



750




i




1




2




i




1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		