



Kit 1048



SAAB 9-5, 4-dr Sedan, 98-04, 05–

SAAB 9-5, 5-dr Estate, 05–



**480R
754**



480



750








THULE[®]
SWEDEN

ISO 11154-E


The diagram illustrates the assembly process. It features a 'THULE' box on the left, a plus sign in the center, and a 'Kit XXXX' box on the right. The 'Kit XXXX' box contains a table of contents with icons for various components: a bag, a bag with a strap, a bag with a strap and a small box, a bag with a strap and a small box, a bag with a strap and a small box, and a bag with a strap and a small box. To the right of the 'Kit XXXX' box is a large warning triangle with an exclamation mark. Below the warning triangle is a silhouette of a person reading a document.


Kit



3




754




750



1




2




	X
SAAB 9-5, 4-dr Sedan, 98-04, 05-	34
SAAB 9-5, 5-dr Estate, 05-	34

1



2



	Y
SAAB 9-5, 4-dr Sedan, 98-04, 05-	31,5
SAAB 9-5, 5-dr Estate, 05-	31,5




480R



480

1




2



	X inch	X mm
SAAB 9-5, 4-dr Sedan, 98-04, 05-	39"	991 mm
SAAB 9-5, 5-dr Estate, 05-8	39"	991 mm

1



2









	Y inch	Y mm
SAAB 9-5, 4-dr Sedan, 98-04, 05-	38"	966 mm
SAAB 9-5, 5-dr Estate, 05-	38"	966 mm






4

SAAB 9-5, 4-dr Sedan, 98-04, 05-

SAAB 9-5, 5-dr Estate, 05-



5



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciot pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťte багаžníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφίγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ขันในแบบสลับ






6





480R/754



480




750




i




1




2




i




1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		544 (x4)
		596 (x6)
		588 (x8)
NA		510 (x10)
EUR		452 (x12)
ASIA		