




Kit 1229



JAGUAR X-Type, 4-dr Sedan, 01–




480R
754



480



750



THULE[®]
SWEDEN

ISO 11154-E

Kit

1




480R/754



480



750



2



480R/754

















480




750



+



3





754




750



1



2




X

JAGUAR X-Type, 4-dr Sedan, 01-

32

1



2



Y

JAGUAR X-Type, 4-dr Sedan, 01-

32,5




480R




480

1



2



X inch


X mm

JAGUAR X-Type, 4-dr Sedan, 01-

38 1/4"

971 mm

1



2



Y inch

Y mm







JAGUAR X-Type, 4-dr Sedan, 01-

38 3/8"


976 mm

4




JAGUAR X-Type, 4-dr Sedan, 01-



5



	X mm	Y mm	X inch	Y inch
JAGUAR X-Type, 4-dr Sedan, 01-	260 mm	670 mm	10 1/4"	26 3/8"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apertar alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480



750




i




1




2




i




1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		