





Kit 1335

HONDA Odyssey, 5-dr Estate, 03-08



480R
754



480



750



Max. 40kg
Max. 88 lbs

Kit XXXX
instructions

480R/754

480

750

x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2 x2	x2






616 x 2

617 x 2




170 x 4

x 1



Kit



3



1




2




HONDA Odyssey, 5-dr Estate, 03-08

X
48

1



2



HONDA Odyssey, 5-dr Estate, 03-08

Y
44




480R




480

1



2




HONDA Odyssey, 5-dr Estate, 03-08


X inch X mm

44 1/2" 1131 mm

1



2
















HONDA Odyssey, 5-dr Estate, 03-08

Y inch Y mm


43" 1091 mm

4




HONDA Odyssey, 5-dr Estate, 03-08



5



	X mm	Y mm	X inch	Y inch
HONDA Odyssey, 5-dr Estate, 03-08	520 mm	700 mm	20 1/2"	27 1/2"



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apertar alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pievelciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól fűggetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






6





480R/754



480




750




i




1




2




i




1




2




i








1



2





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)

596 (x6)

588 (x8)

NA 510 (x10)

EUR 452 (x12)

ASIA