





Kit 1338

BUICK Excelle, 5-dr Hatchback, 04–
BUICK Excelle, 4-dr Sedan, 04–
CHEVROLET Lacetti, 5-dr Hatchback, 04–
CHEVROLET Nubira III, 4-dr Sedan, 04–
CHEVROLET Optra, 5-dr Hatchback, 04–
CHEVROLET Optra, 4-dr Sedan, 04–
DAEWOO Lacetti, 5-dr Hatchback, 04–
DAEWOO Lacetti, 4-dr Sedan, 04–
DAEWOO Nubira III, 4-dr Sedan, 04–
HOLDEN Viva, 5-dr Hatchback, 04–
HOLDEN Viva, 4-dr Sedan, 04–



480R
754



480



750








THULE[®]
SWEDEN






ISO 11154-E

xx kg
xx lbs + 7 kg / 15,4 lbs = **Max.
30kg/66 lbs**



 **xx kg**
xx lbs +  **7 kg / 15,4 lbs** = **Max.**
40kg/88 lbs





Kit



3



1





2



	X
BUICK Excelle, 5-dr Hatchback, 04-	30
BUICK Excelle, 4-dr Sedan, 04-	30
CHEVROLET Lacetti, 5-dr Hatchback, 04-	30
CHEVROLET Nubira III, 4-dr Sedan, 04-	30
CHEVROLET Optra, 5-dr Hatchback, 04-	30
CHEVROLET Optra, 4-dr Sedan, 04-	30
DAEWOO Lacetti, 5-dr Hatchback, 04-	30
DAEWOO Lacetti, 4-dr Sedan, 04-	30
DAEWOO Nubira III, 4-dr Sedan, 04-	30
HOLDEN Viva, 5-dr Hatchback, 04-	30
HOLDEN Viva, 4-dr Sedan, 04-	30

1



2




	Y
BUICK Excelle, 5-dr Hatchback, 04-	27
BUICK Excelle, 4-dr Sedan, 04-	28
CHEVROLET Lacetti, 5-dr Hatchback, 04-	27
CHEVROLET Nubira III, 4-dr Sedan, 04-	28
CHEVROLET Optra, 5-dr Hatchback, 04-	27
CHEVROLET Optra, 4-dr Sedan, 04-	28
DAEWOO Lacetti, 5-dr Hatchback, 04-	27
DAEWOO Lacetti, 4-dr Sedan, 04-	28
DAEWOO Nubira III, 4-dr Sedan, 04-	28
HOLDEN Viva, 5-dr Hatchback, 04-	27
HOLDEN Viva, 4-dr Sedan, 04-	28

3




480

1




2




	X inch	X mm
BUICK Excelle, 5-dr Hatchback, 04-	37 $\frac{1}{2}$ "	951 mm
BUICK Excelle, 4-dr Sedan, 04-	37 $\frac{1}{2}$ "	951 mm
CHEVROLET Lacetti, 5-dr Hatchback, 04-	37 $\frac{1}{2}$ "	951 mm
CHEVROLET Nubira III, 4-dr Sedan, 04-	37 $\frac{1}{2}$ "	951 mm
CHEVROLET Optra, 5-dr Hatchback, 04-	37 $\frac{1}{2}$ "	951 mm
CHEVROLET Optra, 4-dr Sedan, 04-	37 $\frac{1}{2}$ "	951 mm
DAEWOO Lacetti, 5-dr Hatchback, 04-	37 $\frac{1}{2}$ "	951 mm
DAEWOO Lacetti, 4-dr Sedan, 04-	37 $\frac{1}{2}$ "	951 mm
DAEWOO Nubira III, 4-dr Sedan, 04-	37 $\frac{1}{2}$ "	951 mm
HOLDEN Viva, 5-dr Hatchback, 04-	37 $\frac{1}{2}$ "	951 mm
HOLDEN Viva, 4-dr Sedan, 04-	37 $\frac{1}{2}$ "	951 mm

1



2















	Y inch	Y mm
BUICK Excelle, 5-dr Hatchback, 04-	36 $\frac{1}{4}$ "	921 mm
BUICK Excelle, 4-dr Sedan, 04-	36 $\frac{5}{8}$ "	931 mm
CHEVROLET Lacetti, 5-dr Hatchback, 04-	36 $\frac{1}{4}$ "	921 mm
CHEVROLET Nubira III, 4-dr Sedan, 04-	36 $\frac{5}{8}$ "	931 mm
CHEVROLET Optra, 5-dr Hatchback, 04-	36 $\frac{1}{4}$ "	921 mm
CHEVROLET Optra, 4-dr Sedan, 04-	36 $\frac{5}{8}$ "	931 mm
DAEWOO Lacetti, 5-dr Hatchback, 04-	36 $\frac{1}{4}$ "	921 mm
DAEWOO Lacetti, 4-dr Sedan, 04-	36 $\frac{5}{8}$ "	931 mm
DAEWOO Nubira III, 4-dr Sedan, 04-	36 $\frac{5}{8}$ "	931 mm
HOLDEN Viva, 5-dr Hatchback, 04-	36 $\frac{1}{4}$ "	921 mm
HOLDEN Viva, 4-dr Sedan, 04-	36 $\frac{5}{8}$ "	931 mm



4

BUICK Excelle, 5-dr Hatchback, 04–
BUICK Excelle, 4-dr Sedan, 04–
CHEVROLET Lacetti, 5-dr Hatchback, 04–
CHEVROLET Nubira III, 4-dr Sedan, 04–
CHEVROLET Optra, 5-dr Hatchback, 04–
CHEVROLET Optra, 4-dr Sedan, 04–




DAEWOO Lacetti, 5-dr Hatchback, 04–
DAEWOO Lacetti, 4-dr Sedan, 04–
DAEWOO Nubira III, 4-dr Sedan, 04–
HOLDEN Viva, 5-dr Hatchback, 04–
HOLDEN Viva, 4-dr Sedan, 04–



5



	X mm	Y mm	X inch	Y inch
BUICK Excelle, 5-dr Hatchback, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
BUICK Excelle, 4-dr Sedan, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
CHEVROLET Lacetti, 5-dr Hatchback, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
CHEVROLET Nubira III, 4-dr Sedan, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
CHEVROLET Optra, 5-dr Hatchback, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
CHEVROLET Optra, 4-dr Sedan, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
DAEWOO Lacetti, 5-dr Hatchback, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
DAEWOO Lacetti, 4-dr Sedan, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
DAEWOO Nubira III, 4-dr Sedan, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
HOLDEN Viva, 5-dr Hatchback, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "
HOLDEN Viva, 4-dr Sedan, 04–	250 mm	650 mm	9 ⁷ / ₈ "	25 ⁵ / ₈ "



GB/US

D Tighten alternately
Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Apertar alternativamente

PT Aperte alternadamente

S Dra át växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pielvelciēt pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ

Pokręťte багаžníka dokręcaj

dokręcaj naprzemiennie.

SK Dofahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφιγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ขั้นในแบบสลับ



6






480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)

596 (x6)

588 (x8)

NA 510 (x10)

EUR 452 (x12)

ASIA