



Kit 1435



NISSAN Maxima, 4-dr Sedan, 95-99 (NA)

INFINITI I30, 4-dr Sedan, 95-99 (NA)



480R
754



480



750




x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2	x2

060 x 4


02 x 4

x 1



Kit



3





754




750



1





2




	X
NISSAN Maxima, 4-dr Sedan, 95-99 (NA)	29
INFINITI I30, 4-dr Sedan, 95-99 (NA)	29

1



2



	Y
NISSAN Maxima, 4-dr Sedan, 95-99 (NA)	29
INFINITI I30, 4-dr Sedan, 95-99 (NA)	29




480R




480


1




2




	X inch	X mm
NISSAN Maxima, 4-dr Sedan, 95-99 (NA)	37"	941 mm
INFINITI I30, 4-dr Sedan, 95-99 (NA)	37"	941 mm




1



2










	Y inch	Y mm
NISSAN Maxima, 4-dr Sedan, 95-99 (NA)	37"	941 mm
INFINITI I30, 4-dr Sedan, 95-99 (NA)	37"	941 mm




4




NISSAN Maxima, 4-dr Sedan, 95–99 (NA)
 INFINITI I30, 4-dr Sedan, 95–99 (NA)



5



	X mm	Y mm	X inch	Y inch
NISSAN Maxima, 4-dr Sedan, 95-99 (NA)	203 mm	650 mm	8"	25 ⁵ / ₈ "
INFINITI I30, 4-dr Sedan, 95-99 (NA)	203 mm	650 mm	8"	25 ⁵ / ₈ "



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvís

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pielvelciet pamāšus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφίγγετε εναλλάξ

TR Dönüşümlü sıkın

中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชั้โน้แบบสลับ







6




480R/754



480





THULE
SWEDEN
**ONE
KEY
SYSTEM**



- 544 (x4)
- 596 (x6)
- 588 (x8)
- NA 510 (x10)
- EUR 452 (x12)
- ASIA



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
 NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
 customer.service@thule.com

www.thule.com