




Kit 1556

FORD F-150, 2-dr Regular Cab, 04-08
FORD F-150, 4-dr Super Cab, 04-08
FORD F-150, 4-dr Crew Cab, 04-08
LINCOLN Mark LT, 4-dr Crew Cab, 04-06



Max. 40kg
Max. 88 lbs

x1

x4

x4

x4

x4

480R/754

x1

x4

x4

x4

480

x1

x4

x4

750






x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2	x2
----------------------	----	----------------------	----------	----

667 x2


669 x2

111 x4



Kit



3





754



750



1




2




	X
FORD F-150, 2-dr Regular Cab, 04-08	61
FORD F-150, 4-dr Super Cab, 04-08	61
FORD F-150, 4-dr Crew Cab, 04-08	61
LINCOLN Mark LT, 4-dr Crew Cab, 04-06	61

1



2



	Y
FORD F-150, 2-dr Regular Cab, 04-08	60,5
FORD F-150, 4-dr Super Cab, 04-08	59,5
FORD F-150, 4-dr Crew Cab, 04-08	59,5
LINCOLN Mark LT, 4-dr Crew Cab, 04-06	59,5




480R




480

1




2




	X inch	X mm
FORD F-150, 2-dr Regular Cab, 04-08	49 3/4"	1261 mm
FORD F-150, 4-dr Super Cab, 04-08	49 3/4"	1261 mm
FORD F-150, 4-dr Crew Cab, 04-08	49 3/4"	1261 mm
LINCOLN Mark LT, 4-dr Crew Cab, 04-06	49 3/4"	1261 mm

1




2



	Y inch	Y mm
FORD F-150, 2-dr Regular Cab, 04-08	49 1/5"	1256 mm
FORD F-150, 4-dr Super Cab, 04-08	49"	1246 mm
FORD F-150, 4-dr Crew Cab, 04-08	49"	1246 mm
LINCOLN Mark LT, 4-dr Crew Cab, 04-06	49"	1246 mm

4








FORD F-150, 2-dr Regular Cab, 04-08




FORD F-150, 4-dr Super Cab, 04-08

FORD F-150, 4-dr Crew Cab, 04-08

LINCOLN Mark LT, 4-dr Crew Cab, 04-06





5



	X mm	Y mm	X inch	Y inch
FORD F-150, 2-dr Regular Cab, 04-08	280 mm	350 mm	11"	13 3/4"
FORD F-150, 4-dr Super Cab, 04-08	280 mm	700 mm	11"	27 1/2"
FORD F-150, 4-dr Crew Cab, 04-08	280 mm	700 mm	11"	27 1/2"
LINCOLN Mark LT, 4-dr Crew Cab, 04-06	280 mm	700 mm	11"	27 1/2"




FORD F-150, 2-dr Regular Cab, 04-08



FORD F-150, 4-dr Super Cab, 04-08

FORD F-150, 4-dr Crew Cab, 04-08


LINCOLN Mark LT, 4-dr Crew Cab, 04-06



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelsvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pievelciēt pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokrétla багажníka dokręcaj dokręcaj naprzemiennie.
SK Dofahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenično zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγγεται εναλλάξ
TR Dönüşümlü sıkın
中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชันในแบบสลับ



6






480R/754








480



750





THULE®
SWEDEN

**ONE
KEY
SYSTEM**

		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		