



# Kit 1580



NISSAN Altima, 4-dr Sedan, \*02-

\*North America



480R  
754



480



750



**Max.  
40 kg**  
**Max.  
88 lbs**

**+**

x1

x4

x4

x4  
 x4

**480R/754**

---

x1

x4

x4

x4

**480**

---

x1

x4

x4

**750**

x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2	x2	x2


**539** x4

**271** x4


**x1**

**Kit**









	X
NISSAN Altima, 4-dr Sedan, *02-	34




	Y
NISSAN Altima, 4-dr Sedan, *02-	31,5



	X inch	X mm
NISSAN Altima, 4-dr Sedan, *02-	39"	991 mm



	Y inch	Y mm
NISSAN Altima, 4-dr Sedan, *02-	38 1/8"	968 mm



# 4

NISSAN Altima, 4-dr Sedan, \*02-

271




539



271



539



271
















539



271






539



5



	X mm	Y mm	X inch	Y inch
NISSAN Altima, 4-dr Sedan, *02-	255 mm	710 mm	10"	28"



**GB/US** Tighten alternately

**D** Die Schrauben abwechselnd anziehen

**F** Serrer alternativement chaque côté

**NL** Afwisselend aan de linker- en de rechterkant aandraaien

**I** Alternare il serraggio delle viti

**E** Apretar alternativamente

**PT** Aperte alternadamente

**S** Dra åt växelvis

**FIN** Kierrä vuorotellen

**EST** Pinguldage vaheldumisi

**LAT** Pielieciet pamišus

**LIT** Užsukinėkite pakaitomis

**PL** Śruby dokręcaj naprzemiennie

**RU** Затягивайте попеременно

**CZ** Pokręťta bagažníka dokręcaj dokręcaj naprzemiennie.

**SK** Doťahujte striedavo

**SLO** Privijajte izmenično.

**HR** Naizmjenično zategnite

**HU** Egymástól függetlenül szorítandó

**GR** Σφιγγετε εναλλάξ

**TR** Dönüşümlü sıkın

**中文** 交替拧紧

**한국어** 번갈아 가며 조이십시오.

**日本語** 交互に締め付けてください。

**ไทย** ชันโนแบบสลับ

6



480R/754




480




\*  
3 Nm




\*








\*  
≈ 3 Nm




750




4 Nm




1




2




1







2



1




2



**THULE**  
SWEDEN  
**ONE  
KEY  
SYSTEM**



- 544 (x4)
- 596 (x6)
- 588 (x8)
- NA 510 (x10)
- EUR 452 (x12)
- ASIA



ww ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN  
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com  
customer.service@thule.com

www.thule.com